

## Johnny, The Tractor

### Materials

Dk or sports acrylic yarn in the following colors: green, white, black, yellow, dark-grey, grey, orange and sky-blue.

C hook (2.5 mm), a tapestry needle, colored sewing pins, stuffing and scissors.

### Stitches used in the project

Double adjustable ring, chain stitch, slip stitch, single crochet, half double crochet, double crochet..

### Finished Size

Height: 8.5 inches

Length: 8 inches



### Copyright Information

This pattern and images are legal properties of DeliciousCrochet, are protected under international copyright laws and are intended for PERSONAL USE only. Other uses are strictly prohibited. All rights reserved.

This means you may not sell the pattern or share it in any format and under any circumstances, or distribute it (full or partially), or post it on the Internet, or translate it into other languages with the intent of reselling it or distributing it, or sell the finished toys based in this patterns (including derivative work) or the intellectual idea. For more information, please visit [DeliciousCrochet.com](http://DeliciousCrochet.com)

# Realization

## Auto Body:

The auto body is crocheted from bottom to top, starting on the base rectangle.

### Base:

With **green** yarn work a foundation chain of 15 stitches and on it crochet a rectangle of 35 single crochet rows.

Once you finish row 35 do not cut the yarn off and start crocheting in a continuous spiral around the base rectangle (starting on the thinner side):

Rnd 1: 14 single crochet, 3 single crochet in next stitch, 33 single crochet, 3 single crochet in next stitch, 13 single crochet, 3 single crochet in next stitch, 33 single crochet, 2 single crochet in next stitch (104 stitches).

Rnd 2: Single crochet in each stitch through **BACK** loops only (104 stitches).

Rnd 3 to 5: Single crochet in each stitch.

Make a knot and cut the yarn with scissors.

### Top cover rectangle:

With **green** color work a foundation chain of 15 stitches and on it crochet a rectangle of 25 single crochet rows. Once you finish row 25 do not cut the yarn off and crochet a single crochet round all around the rectangle, starting on the thinner side:

Rnd 1: 14 single crochet, 3 single crochet in next stitch, 23 single crochet, 3 single crochet in next stitch, 13 single crochet, 3 single crochet in next stitch, 23 single crochet, 2 single crochet in next stitch (84 stitches).

Make a knot and cut the yarn with scissors.

Using colored sewing pins place the top cover rectangle on the autobody's opening, matching its foundation chain with the front side of it. Then, sew the sides and front edges of both pieces together. Fill with stuffing.



### Cab (white color):

The cab is crocheted directly over the autobody base's opening:

Rnd 1: 50 single crochet stitches.

Rnd 2 to 26: Single crochet in each stitch.

Make a knot, cut the yarn with scissors and fill it with stuffing.

## Roof and door pillars (green color):

The roof and door pillars are worked in a single piece.



Work a foundation chain of 15 stitches and on it crochet a rectangle of 10 single crochet rows. Once you finish row 10 do not cut the yarn off and crochet a single crochet round and 4 door pillars around this rectangle, starting on its wider side:

Rnd 1: 15 single crochet, door pillar # 1 (foundation chain of 20 stitches; on it crochet a single crochet row of 20 stitches), 10 single crochet, door pillar # 2, 15 single crochet, door pillar # 3, 10 single crochet, door pillar # 4.

Rnd 2: 33 single crochet, 2 single crochet in next stitch twice, 46 single crochet, 2 single crochet in next stitch twice, 51 single crochet, 2 single crochet in next stitch twice, 46 single crochet, 2 single crochet in next stitch twice, 18 single crochet, 1 slip stitch (211 stitches)

Make a knot and cut the yarn with scissors.

Using colored sewing pins place the roof in the cab's opening, matching the foundation chain of the roof with the front side of the cab. Sew the borderline of both pieces together, adding some stuffing if necessary. Then, sew the door pillars endings to the cab corners.

## Hood:

With **black** color work a foundation chain of 10 stitches and on them, crochet 6 single crochet rows. After finishing row 6, do not cut the yarn off and start crocheting all around the rectangle in a continuous spiral, starting on the wider side:

Rnd 1: 9 single crochet, 4 single crochet in next stitch, 4 single crochet, 4 single crochet in next stitch, 8 single crochet, 4 single crochet in next stitch, 4 single crochet, 3 single crochet in next stitch (40 stitches).

Rnd 2: Single crochet in each stitch, through **BACK** loops only (40 stitches).

### Switch to green color:

Rnd 3: 18 single crochet, 2 single crochet in next stitch twice, 10 single crochet, 2 single crochet in next stitch twice, 8 single crochet (44 stitches).

Rnd 4: Single crochet in each stitch.

Rnd 5: 19 single crochet, 2 single crochet in next stitch twice, 12 single crochet, 2 single crochet in next stitch twice, 9 single crochet (48 stitches).

Rnd 6: Single crochet in each stitch.

Rnd 7: 20 single crochet, 2 single crochet in next stitch twice, 14 single crochet, 2 single crochet in next stitch twice, 10 single crochet (52 stitches).

Rnd 8 to 31: Single crochet in each stitch.

Make a knot and cut the yarn with scissors.

Place the hood over the front side of the autobody, with the curved side up and placing its opening towards the windshield (the hood's superior border should be under round 18 of the cab). Then, sew both pieces together (hood's opening, sides and front) with invisible stitches.

With grey yarn embroider 4 vertical lines over the front side of the hood.



### Side hood's decorations (yellow color):

Make 2. Work a foundation chain of 20 stitches and over them crochet: 5 double crochet, 5 half double crochet, 5 single crochet, 5 slip stitch (20 stitches).

Make a knot and cut the yarn with scissors.

Place the hood's side decorations over both sides of the hood, with their wider sides towards the cab and sew them all around with invisible stitches.

### Rear tires (Make 2):

Into a double adjustable ring crochet:

#### Yellow color:

Rnd 1: 6 single crochet stitches.

Rnd 2: 2 single crochet in each stitch from last round (12 stitches).

Rnd 3: \*1 single crochet, 2 single crochet in next stitch\*, repeat from \*to\* 6 times (18 stitches).

Rnd 4: 1 single crochet,\*2 single crochet in next stitch, 2 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 1 single crochet (24 stitches).

Rnd 5: \*2 single crochet in first stitch, 3 single crochet\* repeat from \*to\* 6 times (30 stitches).

Rnd 6: 2 single crochet,\*2 single crochet in next stitch, 4 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 2 single crochet (36 stitches).

Rnd 7: \*5 single crochet, 2 single crochet in next stitch\*, repeat from \*to\* 6 times (42 stitches).

Rnd 8: Single crochet in each stitch through **FRONT** loops only (42 stitches).

Rnd 9 to 11: Single crochet in each stitch.



Rnd 12: Through **BACK** loops only crochet:: 2 single crochet,\*2 single crochet in next stitch, 6 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 4 single crochet (48 stitches).

Rnd 13: 3 single crochet, \* 2 single crochet in next stitch, 7 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 4 single crochet (54 stitches).

### Switch to black color:

Rnd 14: \*2 single crochet in first stitch, 8 single crochet\* repeat from \*to\* 6 times (60 stitches).

Rnd 15: 1 single crochet,\*2 single crochet in next stitch, 9 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 8 single crochet (66 stitches).


Rnd 16: 4 single crochet,\*2 single crochet in next stitch, 10 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 6 single crochet (72 stitches).

Rnd 17: Single crochet in each stitch through **BACK** loops only (72 stitches).

Rnd 18 to 23: Single crochet in each stitch.

Rnd 24: Single crochet in each stitch through **BACK** loops only (72 stitches).

Rnd 25: \*10 single crochet, 1 decrease (2 single crochet closed together)\*, repeat from



\*to\* 6 times (66 stitches).

Rnd 26: 3 single crochet,\* 1 decrease (2 single crochet closed together), 9 single crochet\* repeat from \*to\* 5 times, 1 decrease, 6 single crochet (60 stitches).

Rnd 27: 4 single crochet,\* 1 decrease (2 single crochet closed together), 8 single crochet\* repeat from \*to\* 5 times, 1 decrease, 4 single crochet (54 stitches).

Rnd 28: \*1 decrease (2 single crochet closed together), 7 single crochet\* repeat from \*to\* 6 times (48 stitches).

Rnd 29: 2 single crochet, \* 1 decrease (2 single crochet closed together), 6 single crochet\* repeat from \*to\* 5 times, 1 decrease, 4 single crochet (42 stitches).

Make a knot and cut the yarn with scissors. Over the wrong side of your work and with **yellow** color, crochet over round 8 (inserting your hook in the loose front loops of round 8):

Rnd 1: 42 single crochet.

Rnd 2 to 4: Single crochet in each stitch.

With **yellow** color join both borderlines together (rounds 4 and 29) with a single crochet round of 42 stitches, filling the tire with stuffing as you go. Make a knot and cut the yarn with scissors.

### Back cover of the rear tires (yellow color):

Make 2. Into a double adjustable ring crochet:

Rnd 1: 6 single crochet stitches.

Rnd 2: 2 single crochet in each stitch from last round (12 stitches).

Rnd 3: \*1 single crochet, 2 single crochet in next stitch\*, repeat from \*to\* 6 times (18 stitches).

Rnd 4: 1 single crochet, \*2 single crochet in next stitch, 2 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 1 single crochet (24 stitches).

Rnd 5: \*2 single crochet in first stitch, 3 single crochet\* repeat from \*to\* 6 times (30 stitches).

Rnd 6: 2 single crochet, \*2 single crochet in next stitch, 4 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 2 single crochet (36 stitches).

Rnd 7: \*5 single crochet, 2 single crochet in next stitch\*, repeat from \*to\* 6 times (42 stitches).

Make a knot and cut the yarn with scissors. Place the back covers over the central opening of the rear tires and sew them all around with invisible stitches, filling the centre of the tires as you go.

### Front tires (Make 2):

Into a double adjustable ring crochet:

#### Yellow color:

Rnd 1: 6 single crochet stitches.

Rnd 2: 2 single crochet in each stitch from last round (12 stitches).

Rnd 3: \*1 single crochet, 2 single crochet in next stitch\*, repeat from \*to\* 6 times (18 stitches).

Rnd 4: 1 single crochet, \*2 single crochet in next stitch, 2 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 1 single crochet (24 stitches).

Rnd 5: Single crochet in each stitch through **FRONT** loops only (24 stitches).

Rnd 6 to 8: Single crochet in each stitch.

Rnd 9: Through **BACK LOOPS ONLY** crochet: \*2 single crochet in first stitch, 3 single crochet\* repeat from \*to\* 6 times (30 stitches).

Rnd 10: 2 single crochet, \*2 single crochet in next stitch, 4 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 2 single crochet (36 stitches).

#### Switch to black color:

Rnd 11: \*5 single crochet, 2 single crochet in next stitch\*, repeat from \*to\* 6 times (42 stitches).

Rnd 12: 2 single crochet, \*2 single crochet in next stitch, 6 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 4 single crochet (48 stitches).

Rnd 13: 3 single crochet, \* 2 single crochet in next stitch, 7 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 4 single crochet (54 stitches).

Rnd 14: \*2 single crochet in first stitch, 8 single crochet\* repeat from \*to\* 6 times (60 stitches).

Rnd 15: Single crochet in each stitch, through **BACK** loops only (60 stitches).

Rnd 16 to 21: Single crochet in each stitch.

Rnd 22: Single crochet in each stitch, through **BACK** loops only (60 stitches).

Rnd 23: 4 single crochet, \* 1 decrease (2 single crochet closed together), 8 single crochet\* repeat from \*to\* 5 times, 1 decrease, 4 single crochet (54 stitches).

Rnd 24: \*1 decrease (2 single crochet closed together), 7 single crochet\* repeat from \*to\* 6 times (48 stitches).

Rnd 25: 2 single crochet, \* 1 decrease (2 single crochet closed together), 6 single crochet\* repeat from \*to\* 5 times, 1 decrease, 4 single crochet (42 stitches).

Rnd 26: \*5 single crochet, 1 decrease (2 single crochet closed together)\* repeat from \*to\* 6 times (36 stitches).

Rnd 27: 1 single crochet, \* 1 decrease (2 single crochet closed together), 4 single crochet\* repeat from \*to\* 5 times, 1 decrease, 3 single crochet (30 stitches).

Rnd 28: 3 single crochet, \* 1 decrease (2 single crochet closed together), 3 single crochet\* repeat from \*to\* 5 times, 1 decrease (24 stitches).

Make a knot and cut the yarn with scissors. Over the wrong side of your work and with **yellow** color, crochet over round 5 (inserting your hook in the loose front loops of round 5):

Rnd 1: 24 single crochet.

Rnd 2 to 4: Single crochet in each stitch.

With **yellow** color join both borderlines together (rounds 4 and 28) with a single crochet round of 24 stitches, filling the tire with stuffing as you go. Make a knot and cut the yarn with scissors.

### Back cover of the front tires (yellow color):

Make 2. Into a double adjustable ring crochet:

Rnd 1: 6 single crochet stitches.

Rnd 2: 2 single crochet in each stitch from last round (12 stitches).

Rnd 3: \*1 single crochet, 2 single crochet in next stitch\*, repeat from \*to\* 6 times (18 stitches).

Rnd 4: 1 single crochet, \*2 single crochet in next stitch, 2 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 1 single crochet (24 stitches).

Make a knot and cut the yarn with scissors. Place the back covers over the central opening of the front tires and sew them all around with invisible stitches, filling the centre of the tires as you go.

### Tire Axles (green color):

Make 2. The first round of the axles are crocheted directly over round 3 of the back cover of 1 front tire and 1 rear tire. In order to do so, you just need to insert the hook in every stitch from round 3 of that piece and crochet:

Rnd 1: 18 single crochet.

Rnd 2 to 15: Single crochet in each stitch.

Make a knot, cut the yarn with scissors and fill them with stuffing.

Sew the free ending of the axles over the back cover of the other 2 corresponding tires (front or rear). This way you'll get 2 pairs of tires, 1 front and 1 rear, joined together by their axle. Put the autobody on the axles, placing the cab over the rear tires and the hood over the front tires. Sew the axles and tires to the autobody.

### Pupils (black color):



Make 2. Into a double adjustable ring crochet:

Rnd 1: 6 single crochet stitches.

Rnd 2: 2 single crochet in each stitch twice, 2 half double crochet in each stitch twice, 2 single crochet in each stitch twice (12 stitches).

Make a knot and cut the yarn with scissors.

Sew the pupils over the front windshield, leaving 2 stitches of distance between them. Then, with white color embroider 2 points of light of different size on each pupil.

With black yarn embroider the eyebrows and with sky-blue color, embroider the glass details on each window and windshields, as you can see in the image.

### Rear Mudguards (green color):

Make 2. Into a double adjustable ring crochet:

Rnd 1: 6 single crochet stitches.

Rnd 2: 2 single crochet in each stitch from last round (12 stitches).

Rnd 3: \*1 single crochet, 2 single crochet in next stitch\*, repeat from \*to\* 6 times (18 stitches).

Rnd 4 to 38: Single crochet in each stitch.





Join the borders with a single crochet row of 9 stitches. Make a knot and cut the yarn with scissors. In order to keep the mudguards flat, with a tapestry needle and green yarn, sew the yarn up and down all around the piece, 1 stitch away from the mudguards' edge.

Place the mudguards along the rear wheels, with their straight ends between the front and rear wheels, and leaving loose the first 12 rounds on the back of the tractor. Then sew the mudguards to the autobody.



### Headlights (Make 2):

With **white** yarn work a foundation chain of 4 stitches (do not close them into a circle) and crochet around them:

Rnd 1: 2 single crochet in first stitch, 2 single crochet, 4 single crochet in next stitch, 2 single crochet, 2 single crochet in next stitch (12 stitches)

Rnd 2: Single crochet in each stitch.

**Switch to dark-grey color:**

Rnd 3: Single crochet in each stitch.

Make a knot and cut the yarn with scissors.

Sew the headlights to the front side of the hood, filling with stuffing as you go. With sky-blue yarn embroider the headlight details.

### Backlights (Make 2):

Into a double adjustable ring crochet:



**Orange color:**

Rnd 1: 6 single crochet stitches.

Rnd 2: 2 single crochet in each stitch from last round (12 stitches).

**Switch to dark-grey color:**

Rnd 3 & 4: Single crochet in each stitch.

Make a knot and cut the yarn with scissors.

Sew the backlights to the mudguards, filling them with stuffing as you go.

### Top light:

Into a double adjustable ring crochet:

**Orange color:**

Rnd 1: 6 single crochet stitches.

Rnd 2: 2 single crochet in each stitch from last round (12 stitches).

Rnd 3 & 4: Single crochet in each stitch.

### Switch to dark-grey color:

Rnd 5: 6 decreases (2 single crochet closed together 6 times) (6 stitches).

Rnd 6 & 7: Single crochet in each stitch.

Make a knot, cut the yarn with scissors and fill it with stuffing.

Sew the top light over the back-left corner of the cab's roof.

### Tractor's chimney (dark-grey color):

The chimney consists in 2 pieces: base and superior.

#### Base:

Into a double adjustable ring crochet:

Rnd 1: 6 single crochet stitches.

Rnd 2: 2 single crochet in each stitch from last round (12 stitches).

Rnd 3: \*1 single crochet, 2 single crochet in next stitch\*, repeat from \*to\* 6 times (18 stitches).

Rnd 4: 1 single crochet, \*2 single crochet in next stitch, 2 single crochet\* repeat from \*to\* 5 times, 2 single crochet in next stitch, 1 single crochet (24 stitches).

Rnd 5: \*2 single crochet in first stitch, 3 single crochet\* repeat from \*to\* 6 times (30 stitches).

Rnd 6 to 8: Single crochet in each stitch.

Make a knot and cut the yarn with scissors.

Place the chimney base over the right side of the autobody, above the mudguard and in front of the front-right door pillar. Sew the base all around, filling it with stuffing as you go.

#### Superior piece:

The superior piece is crocheted from top to bottom and has to be filled with stuffing as you go.

Into a double adjustable ring crochet:

Rnd 1: 6 single crochet stitches.

Rnd 2: Single crochet in each stitch through **BACK** loops only (6 stitches).



Rnd 3 to 6: Single crochet in each stitch.

Rnd 7: 2 single crochet in each stitch through **BACK** loops only (12 stitches).

Rnd 8: Single crochet in each stitch through **BACK** loops only (12 stitches).

Rnd 9 to 32: Single crochet in each stitch.

Make a knot and cut the yarn with scissors.

Sew the superior piece by its opening to the chimney base, placing it next to the front-right door pillar, as you can see in the image.

## Ending details

With grey yarn embroider 4 vertical lines over the front side of the hood.

Place the hood's side decorations over both sides of the hood, with their wider sides towards the cab and sew them all around with invisible stitches.

Put the autobody on the axles, placing the cab over the rear tires and the hood over the front tires. Sew the axles and tires to the autobody.

Sew the pupils over the front windshield, leaving 2 stitches of distance between them. Then, with white color embroider 2 points of light of different size on each pupil.

With black yarn embroider the eyebrows and with sky-blue color, embroider the glass details on each window and windshields.

Place the mudguards along the rear wheels, with their straight ends between the front and rear wheels, and leaving loose the first 12 rounds on the back of the tractor. Then sew the mudguards to the autobody.

Sew the headlights to the front side of the hood, filling with stuffing as you go. With sky-blue yarn embroider the headlight details.

Sew the backlights to the mudguards, filling them with stuffing as you go.

Sew the top light over the back-left corner of the cab's roof.

Place the chimney base over the right side of the autobody, above the mudguard and in front of the front-right door pillar. Sew the base all around, filling it with stuffing as you go. Sew the superior piece by its opening to the chimney base, placing it next to the front-right door pillar.

**Enjoy!**

**Paola Navarro**

[www.deliciouscrochet.com](http://www.deliciouscrochet.com)

**Tucumán - ARGENTINA**